

```

tpl_date_archive_org.html
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" id="sixapart-standard">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=<$MTPublishCharset$">" />
  <meta name="generator" content="<$MTProductName version="1"$>" />

<!--
  <link rel="stylesheet" href="<$MTBlogURL$>styles-site.css" type="text/css" />
  <link rel="alternate" type="application/atom+xml" title="Atom" href="<$MTBlogURL$>atom.xml" />
  <link rel="alternate" type="application/rss+xml" title="RSS 2.0" href="<$MTBlogURL$>index.xml" />
-->

  <link rel="stylesheet" href="styles-site.css" type="text/css" />
  <link rel="alternate" type="application/atom+xml" title="Atom" href="atom.xml" />
  <link rel="alternate" type="application/rss+xml" title="RSS 2.0" href="index.xml" />

  <title><$MTBlogName encode_html="1"$>: <$MTArchiveTitle$> アーカイブ</title>

  <link rel="start" href="<$MTBlogURL$>" title="Home" />
  <MTArchivePrevious><link rel="prev" href="<$MTArchiveLink$>" title="<$MTArchiveTitle encode_html="1"$>"
/></MTArchivePrevious>
  <MTArchiveNext><link rel="next" href="<$MTArchiveLink$>" title="<$MTArchiveTitle encode_html="1"$>"
/></MTArchiveNext>
</head>
<body class="layout-two-column-right date-based-archive">
  <div id="container">
    <div id="container-inner" class="pkg">

      <div id="banner">
        <div id="banner-inner" class="pkg">
          <h1 id="banner-header"><a href="<$MTBlogURL$>" accesskey="1"><$MTBlogName
encode_html="1"$></a></h1>
          <h2 id="banner-description"><$MTBlogDescription$></h2>
        </div>
      </div>

      <div id="pagebody">
        <div id="pagebody-inner" class="pkg">
          <div id="alpha">
            <div id="alpha-inner" class="pkg">

              <p class="content-nav">
                <MTArchivePrevious><a href="<$MTArchiveLink$>">&laquo; <$MTArchiveTitle$></a>
|</MTArchivePrevious>
                <a href="<$MTBlogURL$>">メイン</a>
                <MTArchiveNext>| <a href="<$MTArchiveLink$>"><$MTArchiveTitle$>
&raquo;</a></MTArchiveNext>
              </p>
              <h2 id="archive-title"><$MTArchiveTitle$> アーカイブ</h2>

              <MTEntries sort_by="created_on" sort_order="ascend">
                <$MTEntryTrackbackData$>

                <MTDateHeader><h2 class="date-header"><$MTEntryDate format="%x"$></h2></MTDateHeader>
                <a id="a<$MTEntryID pad="1"$>"></a>
                <div class="entry" id="entry-<$MTEntryID$>">
                  <h3 class="entry-header"><$MTEntryTitle$></h3>
                  <div class="entry-content">
                    <MTIfNonEmpty tag="EntryBody">

```

```

tpl_date_archive_org.html
<div class="entry-body">
  <$MTEnterBody$>
</div>
</MTIfNonEmpty>
<MTIfNonEmpty tag="EntryMore" convert_breaks="0">
<p class="entry-more-link">
  <a href="<$MTEnterPermalink$>#more">続きを読む "<$MTEnterTitle$>" &raquo;</a>
</p>
</MTIfNonEmpty>
<MTEnterIfTagged>
<div class="entry-tags">
  <h4 class="entry-tags-header">タグ:</h4>
  <ul class="entry-tags-list">
    <MTEnterTags>
      <li class="entry-tag"><a href="<$MTTagSearchLink$>"
rel="tag"><$MTTagName></a></li>
    </MTEnterTags>
  </ul>
</div>
</MTEnterIfTagged>
</div>
<p class="entry-footer">
  <span class="post-footers">
    <MTIfNonEmpty tag="EntryAuthorDisplayName">
      投稿者: <$MTEnterAuthorLink show_email="0"> 日時: <$MTEnterDate format="%x %X"$>
    <MTElse>
      日時: <$MTEnterDate format="%x %X"$>
    </MTElse>
  </MTIfNonEmpty>
</span>
  <span class="separator">|</span> <a class="permalink" href="<$MTEnterPermalink$>">パーマリン
ク</a>
  <MTIfCommentsActive>| <a href="<$MTEnterPermalink$>#comments">コメント
(<$MTEnterCommentCount$>)</a></MTIfCommentsActive>
  <MTIfPingsActive>| <a href="<$MTEnterPermalink$>#trackback">トラックバック
(<$MTEnterTrackbackCount$>)</a></MTIfPingsActive>
</p>
</div>
</MTEnterIfTagged>
</div>
</div>
<div id="beta">
  <div id="beta-inner" class="pkg">

    <div class="module-search module">
      <h2 class="module-header">検索</h2>
      <div class="module-content">
        <form method="get" action="<$MTGIPath$><$MTSearchScript$>">
          <input type="hidden" name="IncludeBlogs" value="<$MTBlogID$>" />
          <label for="search" accesskey="4">ブログを検索: </label><br />
          <input id="search" name="search" size="20" />
          <input type="submit" value="検索" />
        </form>
      </div>
    </div>

    <div class="module-welcome module">
      <h2 class="module-header">About <$MTArchiveDate format="%B %Y"$></h2>
      <div class="module-content">
        <p class="first"><$MTArchiveDate format="%B %Y"$>にブログ「<$MTBlogName$>」に投稿されたすべ
てのエントリーです。新しい順に並んでいます。</p>
        <MTArchivePrevious>

```

```

        tpl_date_archive_org.html
        <p>前のアーカイブは<a href="<$MTArchiveLink$>"><$MTArchiveTitle$></a>です。</p>
        </MTArchivePrevious>
        <MTArchiveNext>
        <p>次のアーカイブは<a href="<$MTArchiveLink$>"><$MTArchiveTitle$></a>です。</p>
        </MTArchiveNext>

        <p>他にも多くのエントリーがあります。<a href="<$MTBlogURL$>">メインページ</a>や<a
href="<$MTBlogURL$>archives.html">アーカイブページ</a>も見てください。</p>

    </div>
</div>

<div class="module-syndicate module">
    <div class="module-content">
        <a href="<$MTBlogURL$>atom.xml">このブログのフィードを取得</a><br />
        [<a href="http://www.sixapart.jp/about/feeds">フィードとは</a>]
    </div>
</div>

<MTBlogIfCCLicense>
<div class="module-creative-commons module">
    <div class="module-content">
        <a href="<$MTBlogCCLicenseURL$>"></a><br />
        このブログは、次のライセンスで保護されています。<a href="<$MTBlogCCLicenseURL$>">クリエイティブ・コモン
ズ・ライセンス</a>.
    </div>
</div>
</MTBlogIfCCLicense>

<div class="module-powered module">
    <div class="module-content">
        Powered by<br /><a href="http://www.sixapart.jp/movabletype/">Movable Type</a>
    </div>
</div>

</div>
</div>
</div>
</div>
</div>
</body>
</html>

```